

Historic, Archive Document

Do not assume content reflects current
scientific knowledge, policies, or practices.

62.11

1904

SEASON 1903-4

U.S. DEPT. OF AGRICULTURE
LIBRARY

WHOLESALE CATALOGUE OF

RARE SEEDS

CHIEFLY OF

PLANTS AND SHRUBS

INDIGENOUS TO THE ROCKY MOUNTAINS
OF COLORADO

OFFERED FOR SALE BY

D. M. ANDREWS

BOULDER, COLORADO, U. S. A.

ESTABLISHED 1893.

TERMS.—This list cancels all previous seed lists. Prices are net upon delivery and payable in United States exchange. One dollar is equal to a little more than four shillings. Foreign remittances should be sent by International Post Office Money Order made payable at Boulder. These seeds are offered subject to being unsold and with the distinct understanding that in case of error the seller shall be held responsible in no instance for more than the price paid.

All our seeds are well ripened, well cured, clean, unless otherwise mentioned, fresh, and to the best of our knowledge true to name. All are of our own saving so we may speak with confidence. Orders should be sent in as early as possible; seeds mailed anywhere, postage charged at cost.

For descriptions see our retail catalogue, mailed free on request. The "trade packets" of this list contain about twice the quantity of a retail packet at the same price.

D. M. ANDREWS,

Boulder, Colo., Nov. 15, 1903.

PRICE LIST OF SEEDS OF HARDY PERENNIAL PLANTS.

All are perennial unless otherwise stated. An asterisk (*) is a reference to Notes on Nomenclature.

Prices are quoted as follows: In first column per "trade packet," in second column, per 1000 seeds; in third column, per ounce.

Price per trade packet, per 1000 seeds, per oz.

	per trade packet	per 1000 seeds	per oz.
<i>Abronia fragrans</i> Nutt.	\$0.15	\$0.40	\$1.00
<i>Achillea lanulosa</i> Nutt.	.10	.25	
<i>Aconitum Columbianum</i> (*)	.20	.35	
<i>Aconitum Columbianum albidum</i>	.25		
<i>Actaea arguta</i> Nutt.	.15		
<i>Aletes acaulis</i> Torr.	.10	.25	
<i>Alonia Nyctaginea</i> Michx.	.20	1.00	
<i>Anemone cylindrica</i> Gray.	.10		
<i>Anemone globosa</i> Nutt.	.10		2.00
<i>Anemone patens</i> Nutt. Gray.	.10	.20	1.50
<i>Anemone sylvestris</i> L.	.10		
<i>Angelica ampla</i> Nelson	.25		
<i>Aplopappus Fremonti</i> Gray.	.25		
<i>Apocynum androsaemifolium</i> L.	.10	.20	
<i>Aquilegia chrysantha</i> Gray.	.15	.25	
<i>Aquilegia Coerulea</i> James. (*)	.25	.35	3.00
<i>Argemone hispida</i> Gray. (lb. \$5)	.10	.20	.50
<i>Argemone platyceras</i> L. & O. (lb. \$4)	.10	.15	.40
<i>Artemisia absinthium</i> L.	.10	.20	
<i>Artemisia arbuscula</i> Nutt.	.25	.40	
<i>Artemisia Canadensis</i> Michx.	.10	.20	
<i>Artemisia filifolia</i> Torr.	.15	.25	
<i>Artemisia frigida</i> Willd.	.15	.25	
<i>Artemisia gnaphaloides</i> Nutt.	.15	.25	
<i>Artemisia Ludoviciana</i> Nutt.	.15	.25	
<i>Asclepias speciosa</i> Torr.	.10	.40	1.00
<i>Aster adscendens</i> Lindl.	.15	.25	4.00
<i>Aster azureus</i> Lindl.	.15	.25	
<i>Aster commutatus</i> Gray.	.15	.25	4.00
<i>Aster ptarmicoides</i> (Nees)	.20		
<i>Aster Fendleri</i> Gray.	.25	.75	
<i>Aster foliaceus</i> T. & G.	.20	.40	
<i>Aster laevis</i> L.	.10	.20	2.00
<i>Aster multiflorus</i> Ait.	.15		
<i>Aster Porteri</i> Gray.	.15	.25	3.00
<i>Aster undulatus</i> L.	.20	.35	
(See <i>Machaeranthera</i>)			
<i>Astragalus bisulcatus</i> (Hook.)	.15	.40	1.00
<i>Astragalus Carolinianus</i> L.	.10	.25	
<i>Astragalus Drummondii</i> Dougl.	.15	.35	1.00
<i>Astragalus Hypoglottis</i> L.	.15		

Price per trade packet, per 1000 seeds, per oz.

<i>Astragalus Laxmanni</i>	.15	.35	
<i>Astragalus Parryi</i> Gray.	.20	.50	
<i>Astragalus pictus</i> Gray.	.15		
<i>Astragalus prunifer</i> Rydb. (*)	.20	.50	1.50
<i>Astragalus Shortianus</i> Gray.	.25		
<i>Bigelovia albicalis</i> Gray.	.15	.40	4.00
<i>Bigelovia graveolens</i> Gray.	.15	.40	4.00
<i>Bitum capitatum</i> L. (annual)	.10	.20	
<i>Brickellia grandiflora</i> Nutt.	.20	.35	4.00
<i>Brickellia Wrightii</i> Gray.	.20		
<i>Cacalia tuberosa</i> Nutt.	.10	.25	1.50
<i>Cactus viviparus</i> Nutt. (berries)	.15		.75
<i>Callirhoe involucrata</i> Gray.	.15		
<i>Calochortus Gunnisoni</i> Wats.	.15	.35	2.50
<i>Caltha rotundifolia</i> (Huth.)	.20		
<i>Campanula alliariaefolia</i> Willd.	.10	.25	
<i>Campanula glomerata</i> L.	.10	.20	
<i>Campanula latifolia</i> L.	.10	.20	
<i>Campanula nobilis</i> Lindl.	.15	.25	
<i>Campanula persicifolia grandiflora</i>	.10	.20	
<i>Campanula persicifolia grandiflora alba</i>			
	.10	.25	
<i>Campanula rapunculoides</i> L.	.10	.15	
<i>Campanula rotundifolia</i> L.	.10	.15	
<i>Campanula Trachelium</i> L.	.10	.15	
<i>Carex crus-corvi</i> Shuttlw.	.15	.25	
<i>Cassia Marylandica</i> L.	.10		1.00
<i>Castilleja acuminata</i> Pursh.	.20		
<i>Centaurea macrocephala</i> Fuschk.	.10		
<i>Centaurea</i> sp. 3 ft., purple fls.	.15		
<i>Chrysopsis foliosa</i> Nutt.	.20	.35	2.50
<i>Claytonia lanceolata</i> Pursh.	.15		
All our Clematis seeds are cleaned, ready for sowing, plume all removed.			
<i>Clematis coccinea</i> Engelm.	.10		.75
<i>Clematis crispa</i> L.	.15		1.50
<i>Clematis Douglasii</i> Hook.	.10	.25	.60
<i>Clematis Fremontii</i> Wats.	.15	.35	.75
<i>Clematis Fremontii Superba</i> . A selection from best and largest blooms ranging through cream, pink, lavender, blue, violet and redish purple, a most superb variety of delicate tints	.25		5.00
<i>Clematis integrifolia</i> L.	.15		
<i>Clematis ligusticifolia</i> Nutt.	.10	.20	1.00
<i>Clematis Orientalis</i> L.	.15	.25	1.50
<i>Clematis Pitcheri</i> T. & G.	.15		1.00
<i>Clematis stans</i> S. & Z.	.20	.50	

Price per trade packet, per 1000 seeds, per oz.

<i>Clematis verticillaris</i> <i>Columbiana</i> Gray.	.25	.50	
<i>Clematis Virginiana</i> L.	.10	.20	1 00
<i>Comandra pallida</i> DC.	.10		
<i>Coreopsis palmata</i> Nutt.	.10	.25	
<i>Coreopsis tripteris</i> L.	.15		
<i>Coreopsis verticillata</i> L.	.10	.25	
<i>Crepis grandiflora</i>	.15	.25	1.50
<i>Crepis intermedia</i> Gray.	.10		
<i>Crepis intermedia gracilis</i>	.10		
<i>Crepis occidentalis</i> Nutt.	.15		
<i>Crepis runcinata</i> T. & G.	.15		
<i>Delphinium albesens</i> Rydb. (*)	.15	.25	1.50
<i>Delphinium bicolor</i> Nutt.	.25	.40	
<i>Delphinium Geyeri</i> Greene (*) (lb. \$10)	.15	.20	1.00
<i>Delphinium occidentale</i> Wats.	.25	.40	
<i>Delphinium tricornis</i> Michx.	.25		
<i>Desmodium Canadense</i> DC.	.10		
<i>Dodecatheon pauciflorum</i> Greene.	.15	.25	4.00
<i>Draba streptocarpa</i> Gray.	.15	.25	
<i>Dryas octopetala</i> L.	.15		
<i>Echinacea purpurea</i> Moench.	.10	.75	
<i>Eschinocystis lobata</i> T. & G. (lb. \$2)	.10		.25
<i>Eriocarpum rubiginosum</i> (annual)	.10	.20	
<i>Eriocarpum spinulosum</i> (Nutt.)			
Charming novelty with hand- some foliage and yellow aster- like flowers	.25	.50	
<i>Eriogonum alatum</i> Torr. (annual)	.10		
<i>Eriogonum annuum</i> Nutt. (annual)	.15	.25	
<i>Eriogonum campanulatum</i> Nutt.	.15	.25	
<i>Eriogonum flavum</i> Nutt.	.10	.25	
<i>Eriogonum microthecum effusum</i>	.10		
<i>Eriogonum umbellatum</i> Torr.	.10	.20	
<i>Eryngium amethystinum</i> L.	.15		
<i>Eryngium giganteum</i> Bieb.	.15		
<i>Eryngium Oliverianum</i> Laroche.	.15		
<i>Eryngium plarum</i> L.	.10		
<i>Eryngium yuccaeifolium</i> Michx.	.10		1.00
Our <i>Eryngiums</i> will be found true to name.			
<i>Erysimum asperum</i> DC. (annual)	.10	.25	
<i>Euphorbia marginata</i> (annual)	.10		.35
<i>Euphorbia robusta</i> Engelm.	.10	.25	1.00
<i>Eurotia lanata</i> (Pursh.)	.10		
<i>Frasera speciosa</i> Dougl.	.25	.40	
<i>Gaillardia aristata</i> Pursh.	.10		
<i>Galium boreale</i> L.	.25		
<i>Gaura coccinea</i> Nutt.	.15		1.25

Price per trade packet, per 1000 seeds, per oz.

<i>Gentiana alba</i> Gray.	.20	.35	
<i>Gentiana Andrewsii</i> (Colorado form)	.15	.25	
<i>Gentiana Bigelovii</i> Gray.	.20	.35	5.00
<i>Gentiana bracteosa</i> Greene.	.25	.40	
<i>Gentiana cruciata</i> L.	.15	.25	
<i>Gentiana elegans</i> Greene (few pkts.)	.35		
<i>Gentiana Parryi</i> Engelm.	.25		
<i>Gentiana Saponaria</i> L.	.20	.30	
<i>Gentiana Tibetica</i> King.	.15	.25	
<i>Geranium Fremontii</i> Torr.	.15		
<i>Geranium pratense</i> L.	.10		
<i>Geranium Richardsonii</i> album	.25		
<i>Geranium sanguineum</i> L.	.10	.35	
<i>Gilia aggregata</i> Spreng.	.15		
<i>Glycyrrhiza lepidota</i> Pursh.	.10		
<i>Gillenia trifoliata</i> Moench.	.10		
<i>Grindelia squarrosa</i> Dunal.	.10	.20	.60
<i>Gutierrezia Euthamiae</i> T. & G.	.10	.20	
<i>Gymnolomia multiflora</i> B. & H.	.15		
<i>Harbours trachyleura</i> Gray.	.15	.40	
<i>Helenium monianum</i> Nutt.	.15	.25	
<i>Helianthella quinqueremis</i> Gray.	.15	.75	2.00
<i>Helianthus Maximiliani</i> Schrad.	.10	.20	1.25
<i>Helianthus orgyalis</i> DC.	.10		
<i>Helianthus pumilus</i> Nutt.	.10	.20	1.00
<i>Heuchera bracteata</i> Ser.	.15	.20	
<i>Heuchera sanguinea</i> Engelm.	.10	.20	
<i>Heuchera sanguinea alba</i>	.15	.25	
<i>Hydrophyllum occidentale</i> Gray.	.15		
<i>Hypericum Ascyron</i> L.	.10		
<i>Hypericum Scouleri</i> Hook.	.10	.20	
<i>Inula Helenium</i> L.	.10	.25	
<i>Ipomoea leptophylla</i> Torr.	.10		.50
<i>Iris Missouriensis</i> Nutt.	.10		.50
<i>Krynitzkia Jamesii</i> Gray.	.10		
<i>Krynitzkia virgata</i> Gray.	.15		
<i>Kuhnia eupatorioides</i> L.	.10	.25	
<i>Lathyrus latifolius albus</i> (true)	.10		.50
<i>Lathyrus niger</i> Bernh.	.10		.75
<i>Lathyrus polymorphus</i> Nutt.	.20		
<i>Lathyrus rotundifolius</i> Willd.	.10		
<i>Lepachys columnaris</i> T. & G.	.10	.20	
<i>Lepachys pulcherrima hybrida</i>	.15	.25	2.00
<i>Lepachys pinnata</i> T. & G.	.10	.20	
<i>Leucocrinum montanum</i> Nutt.	.25		
<i>Liatris punctata</i> Hook.	.10	.25	
<i>Liatris pycnostachia</i> Michx.	.10	.50	
<i>Liatris scariosa</i> (Colorado form)	.10	.35	
<i>Lithospermum angustifolium</i> Michx.	.25		
<i>Lithospermum longiflorum</i> Spreng.	.25		
<i>Lithospermum multiflorum</i> Torr.	.25		

Price per trade packet, per 1000 seeds, per oz.

Lupinus argenteus Pursh	.15	.75	1.25
Lupinus parviflorus Nutt	.10	.65	1.00
Lupinus pusillus Pursh	.15		
Machaeranthera canescens Pursh (*)	.25	.50	
Machaeranthera tanacetifolia annual	.10	.25	
Malvastrum coccineum Gray.	.10	.20	1.50
Mentzelia laevicaulis T. & G.	.15		
Mentzelia nuda T. & G.	.10	.25	
Mentzelia ornata T. & G.	.20	.30	1.50
Mertensia ciliata (Torr.) (*)	.25	.60	
Mertensia lanceolata DC.	.25	.50	
Monarda menthaefolia Graham.	.10	.25	
Nicotiana attenuata Torr. (annual)	.25	.50	
Oenothera albicaulis Pursh. (annual)	.15	.25	
Oenothera caespitosa (*)	.15	.40	
Oenothera Goodingii (Nelson) (*)	.15	.60	
Oenothera pallida Lindl.	.15	.20	
Oenothera serrulata Nutt.	.15	.25	
Onosmodium molle Michx.	.10		
(For Hardy Opuntias see Shrubs.)			
Osmorhiza divaricata Nutt.	.10	.35	
Oxyria digyna Campd.	.10		
Oxytropis Lamberti Pursh.	.15		
Oxytropis multiceps Nutt.	.20		
Oxytropis spicata Hook.	.15	.25	2.00
Pedicularis Groenlandica Retz.	.15	.35	
Pedicularis procera Gray.	.25	.50	
Pentstemon acuminatus Dougl.	.10	.20	1.00
Pentstemon barbatus Nutt.	.10	.20	
Pentstemon coeruleus Nutt.	.15	.25	1.50
Pentstemon glaber Pursh. (*)	.10	.15	.75
Pentstemon glaber alpinus Gray.	.25	.50	
Pentstemon gracilis Nutt.	.25	.40	
Pentstemon humilis Nutt.	.10	.25	
Pentstemon secundiflorus Benth.	.25	.50	
Petalostemon oligophyllum Torr.	.10	.25	
Petalostemon tenuifolium Gray.	.10	.20	
Phacelia circinata Jacq.	.15		
Phacelia sericea Gray.	.15		
Phlox Douglasii Hook.	.20		
Phlox maculata L.	.10		
Physalis lobata Torr.	.15	.35	
Physaria didymocarpa Gray.	.15		
Physostegia Virginica alba	.10	.20	1.00
Polemonium confertum Gray.	.25	.50	
Polemonium confertum millitum Gray.	.25	.50	
Polemonium molle Greene (*)	.25	.40	
Polemonium scopulinum Greene	.25	.50	

Price per trade packet, per 1000 seeds, per oz.

Potentilla crinata Grey.	.15	.25	
Potentilla glandulosa Lindl.	.10	.20	
Prenanthes racemosa Michx.	.25		
Primula Parryi Gray	.15	.25	
Psoralea tenuiflora Pursh.	.10		
Rudbeckia ampla Nelson.	.10	.25	
Rudbeckia flava McCre.	.10	.25	
Ruellia ciliosa Pursh.	.10	.50	
Rumex occidentalis Wats.	.10		
Rumex venosus Pursh.	.10		
Rumex (large alpine sp.)	.10		
Salvia azurea grandiflora Benth)	.15	.35	2.00
Sanicula Marylandica L.	.10	.25	
Scrophularia Marylandica Gray.	.10	.20	
Scutellaria Brittoni Porter	.25		
Sedum stenopetalum Pursh.	.10	.20	
Senecio Douglasii DC.	.10	.20	1.00
Sidalcea candida Gray.	.10	.20	
Sidalcea Oregana Gray.	.15	.25	
Sidalcea spicata Greene.	.15	.25	
Sisyrinchium angustifolium	.10	.20	
Solidago Canadensis L.	.10	.20	
Solidago Missouriensis Nutt.	.10	.20	
Solidago nana Gray.	.25		
Solidago rigida L.	.10	.15	1.00
Solidago rigidiscula T. & G.	.15	.25	
Solidago serotina Ait.	.10	.20	
Solidago spectabilis Gray.	.15	.25	2.00

The following species of Solidago are rather dwarf and non-spreading, and are therefore generally more desirable.

Spigelia Marylandica L.	.25		
Stanleya pinnata Britton.	.10	.20	1.00
Statice latifolia Sm.	.10	.25	
Thalictrum polygamum Muhl.	.10	.30	1.25
Thelesperma gracile Gray.	.10	.25	
Thermopsis montana Nutt.	.10		.50
Thermopsis rhombifolia Richards	.10		
Thlaspi alpestre L.	.10	.25	
Townsendia grandiflora Nutt.	.25	.50	
Townsendia sericea Hook.	.20	.35	
Trollius albiflorus (Gray.)	.25		
Troximon cuspidatum Pursh.	.10		
Valeriana edulis Nutt.	.15	.25	
Valeriana septentrionalis Richards	.15	.25	
Valeriana tripteris L.	.10		
Verbena stricta Vent.	.10	.20	
Vicia truncata Nutt.	.10		
Viola adunca Smith.	.15		
Viola alsophila Greene.	.25		

Viola Canadensis L.	.10	.25	
Viola cognata Greene.	.15	.25	4.00
Viola Nuttallii Pursh.	.15	.35	4.00
Viola Rydbergii Greene.	.15	.30	4.00
Viola ovata Nutt.	.20		
Viola pedatifida Don.	.15	.25	
Viola delphinifolia Nutt.	.15	.25	
Yucca glauca Nutt. (lb. \$2)	.10		.25
Zygadenus Nuttallii Gray.	.10	.25	

PRICE LIST OF SEEDS OF

HARDY SHRUBS AND TREES.

d.b.—dried berries. c.—clean.

	Price per Trade Packet	Oz.	lb.
Acer glabrum Torr.	.10	.15	1.25
Alnus tenuifolia Nutt. c.	.10	.50	
Amelanchier alnifolia Nutt. d.b.	.10	.30	
Amorpha canescens Nutt.	.10	.40	
Amorpha nana Nutt.	.10		
Amorpha fruticosa L.	.10	.30	
Ampelopsis Engelmanni	.10		
Ampelopsis tricuspidata S. & Z. d.b.	.10	.25	
Ampelopsis vitacea Knerr. d.b.	.10	.15	1.50
Arctostaphylos Uva ursi Spreng d.b.	.10	.25	
Atriplex canescens James	.10	.20	1.50
Berberis repens Lindl. d.b. (*)	.10	.15	1.00
Betula fontinalis Sarg. c.	.10	.75	
Ceanothus Fendleri Gray.	.25		
Ceanothus ovatus Desf.	.10	.50	
Ceanothus velutinus Dougl.	.15		
Cercocarpus parvifolius Nutt. c.	.10	.50	5.00
Clematis, see herbaceous list.			
Crataegus macranthus Lodd. d.b.	.10	.15	1.00
Crataegus rivularis Nutt. d.b.	.10	.25	2.00
Jamesia Americana T. & G.	.20	4.00	
Juniperus Siberica Glauca	.10	.25	
Juniperus Scopulorum Sarg. d.b.	.10	.15	1.25
Lonicera involucrata Banks d.b.	.15	.75	
Opuntia arborescens Engelm. c.	.10	.50	5.00
Opuntia arenaria Engelm. c.	.25		
Opuntia Camanchica Engelm. c.	.10	.20	2.00
Opuntia hybrida. A selection never before offered, from a collection of natural hybrids and non typical forms including some of the most beautiful of all hardy Opuntias.	.25	1.00	

Price per Trade Packet	Oz.	lb.
<i>Opuntia mesacantha cymochila</i> c. .10	.25	2.50
<i>Opuntia mesacantha Greenii</i> . (Engelm.)		
.10	.20	2.00
<i>Opuntia mesacantha Macrorrhiza</i> (Engelm) c. .10	.20	2.00
<i>Opuntia phaeacantha</i> Engelm. c. .15	.30	3.00
<i>Opuntia polyacantha</i> Haw. c. .10	.25	2.50
<i>Opuntia polyacantha albispina</i> (E. & B.) c. .15	.50	

The above list of *Opuntias* are all hardy as far north as New York and Mass., and also in England. They are easily grown and are worthy of cultivation.

<i>Physocarpus Ramaleyi</i> Nelson)	.15	1.00
<i>Physocarpus Torreyi</i> Maxim.	.25	
<i>Potentilla fruticosa</i> L.	.10	
<i>Potentilla fruticosa tenuifolia</i> Lehm.	.15	
<i>Prunus demissa melanocarpa</i> Nelson	.10	.25 2.00
<i>Prunus Pensylvanica</i> (Colorado form)	.10	.30
<i>Rhus trilobata</i> Nutt. d.b.	.10	.20
<i>Ribes aureum</i> Furrh. c.	.10	.30
<i>Ribes cereum</i> Dougl. c.	.10	.25 2.00
<i>Ribes tenuiflorum</i> Lindl. c. (*)	.15	.50 4.00
<i>Rosa Arkansana</i> Porter d.b. (true dwarf form)	.10	.10 .80
<i>Rosa Sayi</i> Schwein. d.b.	.10	.25
<i>Rosa Woodsii</i> Lindl. d.b. (*)	.10	.10 1.00
<i>Rubus deliciosus</i> James. c.	.15	1.00 12.00
<i>Sambucus pubens</i> Michx. d.b.	.10	.50
<i>Sambucus pubens</i> (yellow fruited) d.b.	.25	2.00
<i>Symphoricarpos occidentalis</i> R. Br.	.10	.20 2.00
<i>Symphoricarpos pauciflorus</i> (Robbins)	.15	

NOTES ON NOMENGLATURE, ETC.

Since 1885, Coulter's Manual of Rocky Mountain Botany has been the standard botanical manual for Colorado. No revision has been made and at best it is only a compilation from scattered material. Much botanical research has accomplished since the appearance of Coulter's work, but the results are not yet available in one volume. A frequent error of Coulter's Manual is the inclusion of two species under one elastic description. Various other errors are apparent to the careful botanist. It will be

easy to understand, therefore, the difficulties in the way of preparing a correct list of the species of Colorado plants. The writer of these notes has spent considerable time conferring with various authorities for the purpose of making the list as nearly correct as possible. We follow mainly the nomenclature of the Cyclopaedia of American Horticulture, quoting in each case the specific authority so that any one may adopt the synonym preferred.

The following notes will explain some of the changes which it has seemed advisable to make from our former lists, and other questions in this relation:

Aconitum Columbianum of the Colorado Mountains seems to be quite distinct from *A. Fischeri* Wats, though considered the same by some authorities.

Aquilegia Coerulea; our seed is saved from wild plants in the mountains and is positively true.

Astragalus Prunifer; formerly included with *A. caryocarpus*.

Delphinium albescens—*D. azureum albidum*.

Delphinium Geyeri—*D. Scopulorum* of Coulter's Manual in part.

Machaeranthera; a group of very handsome large flowered plants formerly included with *Aster*.

Mertensia ciliata (Torr.)—*M. Siberica* of Coulter's Manual, not Don.; distinct from the European plant.

Oenothera caespitosa; two forms are included here, ours is the very large flowered, perennial, acaulescent form.

Oenothera Goodingii; Coulter's *O. brachycarpa* includes two distinct forms, of which the plants of the Colorado foot hills having flowers and fruit much larger than the type has recently been given the name as above.

Pentstemon Glaber, this is a tall plant, 2 to 3 feet, apparently different from one offered by the same name in Europe.

Polemonium molle—*P. foliosissimum* of Coulter.

Berberis repens; distinct from *B. aquifolium* of dealers.

Ribes tenuiflorum; related to *aureum* but with large yellow or cherry tinted fruit; very handsome.

Rosa Woodsii—*R. Fendleri* of Coulter's Manual in part.

